

10427 Cogdill Road, Suite 500 Knoxville, TN, 37932, US

## **Kaycha Labs**

4500mg Effects Line Energy Disposable CBD Pen

Matrix: Derivative



Sample: KN10121010-002 Harvest/Lot ID: 12232020 Seed to Sale #N/A

Batch Date : N/A Batch#: 1226

Sample Size Received: 5 ml Total Weight/Volume: N/A

Retail Product Size: 0.5 gram

Ordered: 01/19/21 sampled: 01/19/21

Completed: 02/04/21 Expires: 02/04/22 Sampling Method: SOP Client Method

## PASSED

Page 1 of 1

# Certificate of Analysis

Feb 04, 2021 | Relegated Renegades

1267 Forest Ave Rear Suite #2 Staten Island, NY, 10302, US





SAFETY RESULTS



PASSED

Pesticides



Heavy Metals

PASSED







Solvents

PASSED



**PASSED** 





Moisture

**NOT TESTED** 



**NOT TESTED** 

**CANNABINOID RESULTS** 



**Total THC** 0.012%



**Total CBD** 10.614%




Analyzed By

Filth and Foreign Material

142 Analyte

**Total Cannabinoids** 10.659%





**PASSED** Extraction date Extracted By LOD Batch Date: 01/21/21 13:30:24

Analysis Method -SOP.T.40.013 Analytical Batch -KN000296FIL Instrument Used : E-AMS-138 Microscope

#### Cannabinoid Profile Test

Analyzed by Extraction date : Extracted By: Reviewed On -01/25/21 12:24:03 Batch Date : 01/21/21 14:59:27

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

### Sue Ferguson

Lab Director

State License # n/a ISO Accreditation # 17025:2017



N/A

Signature

Signed On