

Knoxville, TN, 37932, US

Kaycha Labs

Matrix: Derivative

4500mg Effects Line Pain Disposable CBD Pen N/A



Sample:KN10121010-004 Harvest/Lot ID: 12232020 Seed to Sale #N/A Batch Date :N/A Batch#: 1226 Sample Size Received: 5 ml Total Weight/Volume: N/A Retail Product Size: 0.5 gram Ordered : 01/19/21 sampled : 01/19/21 Completed: 02/04/21 Expires: 02/04/22

Sampling Method: SOP Client Method

PASSED

Page 1 of 1


## Feb 04, 2021 | Relegated

Certificate

of Analysis

Renegades

1267 Forest Ave Rear Suite #2 Staten Island, NY, 10302, US



VAPEBRAT

Analyzed by Weight 01/2/21/11/01-43 01/2/21/11/01-43 urement of Uncertainty: Flower Matrix d9-THC12.7%, THCa: 9.5%, TOTAL Weight Extraction date : Extracted By : 113 Analysis Method -Expanded M THC 11. 1%. These uncertaint . 1%. These uncertainties ince level using a coverage cal Batch -KN000297POT ncertainty expressed a Reviewed On -01/25/21 12:25:44 Batch Date : 01/21/21 14:59:27 expanded or a norma ument Used : HPLC E-SHI-008

Consums. ID Reagent Dilution 120320.R02 012121.R01 190706059 24157882 011421.R24 00297320 Full spectrum cannabinoid analysis utilizing High Performance for analysis.). \*Based on FL action limits.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson Lab Director

State License # n/a ISO Accreditation # 17025:2017

hiting

Signature

N/A

Signed On